


### FIBER OPTIC TERMINAL BOX MODEL 6STB


Romatecsans terminal box Model 6STB is a compact fiber terminal for use at the final fiber termination point outside the wall of customer premises. It provides good fiber protection and convenient connectivity for the end users. Protection grade is IP65.




<b>Dimensions (mm)</b>	165*131*34
<b>Material</b>	Polymer synthetic plastic
<b>Fiber capacity</b>	2 SC SIMPLEX
<b>Operating Temperature (°C)</b>	-40°C ~ +60°C
<b>Protection grade</b>	IP65

Structure			
	Item Nr.	Description	Quantity
	1	Box Body	1
	2	Box Cover	1
	3	Hasp	2
	4	Sealing Ring	1
	5	Sealing Plug	2
	6	Adapter	1

### Routing Diagram



### Installation Instruction



1. Drill 3 holes for M4 expandable bolt.
2. Place the M4 expandable bolt into the holes.
3. Fix the box on the wall using 4\*25 self-tapping screw.

### ORDERING INFORMATION

Type	Adapter	Polishing	Type	Colors	Ports	Fiber	Length (m)
6STB	FC	A APC	D Duplex	1 Aqua	1	OS1 G.652B	1
	E2000	U UPC	Q Quad	2 Blue	2	OS2 G.652D	2
	LC		S Simplex	3 Beige		655 G.655	3
	MU			4 Green		657 G.657	
	SC			5 12 colors		OM1 62.5/125	
	ST			6 Yellow		OM2 50/125	
							OM3 50/125
						OM4 50/125	

### ORDERING INFORMATION EXAMPLE

6STB	SC	A	S	6	8	OS2	1
------	----	---	---	---	---	-----	---

Configuration: Outdoor terminal box Model 6STB SC APC Simplex 8 Yellow OS2 1mt pigtails

## HONG KONG

**Romatecsans International Limited**  
7/F., Catic Building, No. 44 Tsun Yip  
Street, Kowloon, Hong Kong  
Tel. +852 8199 9706  
asia@romatecsans.com

## CHILE

**Importadora y Exportadora Romatecsans Ltda.**  
Carmen Farina 6758, Vitacura,  
Santiago, Chile  
Tel.: +56 22 9797 922  
ventas@romatecsans.com

[sales@romatecsans.com](mailto:sales@romatecsans.com)  
[www.romatecsans.com](http://www.romatecsans.com)

